

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4302	\$3CDMA and (TDM or (time near2 multiplex\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/15 22:06
S2	4193	S1 not ((MC-CDMA) or (multi-carrier near2 CDMA))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/14 18:40
S3	882	S2 and ((reserv\$6 or request\$4 or control\$4) near3 packet\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/15 22:11
S4	215	S3 and ((threshold or predetermin\$4) adj2 value\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/14 18:43
S5	157	S4 and ((increas\$4 or decreas\$4 or adjust\$4) with (rate or bandwidth or demand))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/14 18:45
S6	53	S5 and @AD<"20010202"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/15 20:44
S10	20	(\$3CDMA/TDM or TDM/CDMA or TDM/DS-CDMA or TDM/DSCDMA)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/15 22:07
S11	4302	\$3CDMA and (TDM or (time near2 multiplex\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/15 22:07
S12	4302	S11 or S10	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/15 22:07
S13	62	S12 and (dynamic\$4 with (allocat\$4 or assig\$4) with (timeslot\$1 or time-slot\$1 or (time adj slot\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/17 11:43
S14	41	S13 and ((reserv\$6 or request\$4 or control\$4) near3 (packet\$2 or timeslot\$1 or time-slot\$1 or (time adj slot\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/16 15:19
S15	16	S14 and @AD<"20010202"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/16 15:32
S16	20	(\$3CDMA/TDM or TDM/CDMA or TDM/DS-CDMA or TDM/DSCDMA)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/16 15:19

EAST Search History

S17	4310	\$3CDMA and (TDM or (time near2 multiplex\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/16 15:19
S18	4310	S17 or S16	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/16 15:19
S19	62	S18 and (dynamic\$4 with (allocat\$4 or assign\$4) with (timeslot\$1 or time-slot\$1 or (time adj slot\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/16 22:36
S20	41	S19 and ((reserv\$6 or request\$4 or control\$4) near3 (packet\$2 or timeslot\$1 or time-slot\$1 or (time adj slot\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/16 22:38
S21	16	S20 and @AD<"20010202"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/16 22:33
S23	20	(\$3CDMA/TDM or TDM/CDMA or TDM/DS-CDMA or TDM/DSCDMA)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/16 22:33
S24	310	(\$3CDMA/TDMA or TDMA/CDMA or TDMA/DS-CDMA or TDMA/DSCDMA)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/16 22:33
S25	158	S24 and @AD<"20010202"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/16 22:33
S27	48	S25 and ((reserv\$6 or request\$4 or control\$4) near3 (packet\$2 or timeslot\$1 or time-slot\$1 or (time adj slot\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/17 10:36
S28	310	(\$3CDMA/TDMA or TDMA/CDMA or TDMA/DS-CDMA or TDMA/DSCDMA)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/17 11:36
S29	158	S28 and @AD<"20010202"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/17 11:41
S30	48	S29 and ((reserv\$6 or request\$4 or control\$4) near3 (packet\$2 or timeslot\$1 or time-slot\$1 or (time adj slot\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/17 11:41
S31	36	S30 and (MUX or multiplex\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/17 10:37

EAST Search History

S46	6156	CDMA and (random\$3 near3 access\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/20 17:47
S47	173	S46 and (dynamic\$4 near2 (allocat\$4 or assign\$4)) and @AD<"20000202"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/20 17:40
S48	94	S47 and ((base adj station\$1) or BS\$1) and (MS or (mobile adj station\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/20 17:47
S49	9	CDMA and ((random\$3 near3 access\$2) same (dynamic\$4 near2 (allocat\$4 or assign\$4))) and @AD<"20000202"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/20 17:49
S54	13	CDMA and ((random\$3 near3 access\$2 near3 packet\$1) same (MS\$1 or (mobile station\$1)) same ((allocat\$4 or assign\$4) same (BS\$1 or (base adj station\$1)))) and @AD<"20000202"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/02/20 17:58

TH - 2/20/06